# Barristo Enterprises, Inc., dba SureHold.

# SAFETY DATA SHEET

Complies with US Hazard Communication Standard (29 CRF 1910.1200)

# 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product Identifier

Plastic Surgery® Super Gel, SH-304

### Relevant identified uses of the substance or mixture and uses advised against

# Intended Use: Cyanoacrylate Adhesive **Details of the supplier of the safety data sheet**

Barristo Enterprises, Inc. dba SureHold 3717 N Ravenswood Avenue, Suite 243

Chicago, IL 60613 Email: info@surehold.com

Website: www.surehold.com

Phone: 773-472-8592: Toll Free 800-881-4495

Fax: 773-525-1750

# 24 Hour Emergency telephone number

Emergency Tel: 800-881-4495

#### Email address

information@surehold.com

# 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture	
Flammable Liquid	Category 4
Serious eye damage/ eye irritation	Category 2B
Specific target organ toxicity-single exposure	Category 3

#### Label elements:

Label elements:	
Hazard pictogram:	
Single word:	Warning
Emergency Overview:	Bonds skin in seconds. Combustible liquid. Causes eye irritation. May cause respiratory irritation
Precautionary Statement - Prevention	Keep away from heat, sparks, open flames, heat sources – no smoking. Wash thoroughly after handling.
Precautionary Statement - Response	Wear protective gloves, eye protection and face protection IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. If eye irritation persists get medical attention. IF CASE OF FIRE: Use foam, dry chemical, or carbon dioxide to extinguish.
Precautionary Statement – Storage	Store in a well-ventilated place. Keep cool.
Precautionary Statement – Disposal	Dispose of contents/container according to Federal, State/Provincial, and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200 and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

# See Section 11 for additional toxicological information.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Common Name/Synonyms	CAS-No	Concentration %
thyl-2-cyanoacrylate		7085-85-0	>70-<100% *
Exact percentages may vary or a	e trade secret. Concentration ra	nge is provided to assist users in	providing appropriate protections.
. FIRST AID MEASU			<u> </u>
Description of first aid me	asures		
General advice	Avoid breathing gas/fur	nes/vapor/spray.	
Inhalation:	IF INHALED: Move to f	resh air. Consult doctor if c	omplaint persists.
Skin contact:		ely wash affected parts of the call treatment and present the call treatment and present the call the	ne body with soap and water. Rinse nis data sheet.
Eye contact:	IF IN EYES: If eye is bonded closed, release eye lashes with warm water by covering with a wet pad. Cyanoacrylate with bond to eye protein and will cause periods of weeping which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3 days. Do not force eye open. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage.		
Ingestion:	Ensure that breathing passages are not obstructed. The product will polymerize immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth.		
Symptoms:	See Section 11.		
Notes to physician:	that bonded tissues are	e best treated by passive, n	onded tissues. Experience has shown non-surgical first aid. If rapid curing ha ptomatically after adhesive is
5. FIRE FIGHTING ME			
Extinguishing media			
Suitable extinguishing	media: Alcohol-resis	tant foam, dry powder, carb	oon dioxide, water spray jet
Unsuitable extinguishin	g media: High volume	High volume water jet.	
Special hazards arising fro In the event of fire, t dioxide (CO <sub>2</sub> ). Advice for firefighters	be the substance or mix the following can be release	ture sed: Nitrogen oxides (NOx)	), carbon monoxide (CO), carbon
breathing apparatus smolder gases may official regulations.	(SCBA). Firefighting oper be done with breathing ap	ations, rescue and cleaning	I wear positive pressure self-containe g work under effect of combustion an minated extinction water according to
	EASE MEASURES		
Personal precautions, pro			
For non-emergency pe	•	se personal protective clothing.	
For emergency respon		uate ventilation. Avoid cont	act with eyes or skin.
	am up. Resolve leaks, if pe enetration. Prevent from e		nt surface and ground-water infiltratic accidental entry into drainage system

occurs, inform responsible authorities.

#### Methods and material for containment and cleaning up

Do not use cloth for clean-up. Flood with water to complete polymerization and scrape up the polymer. Solid material can be disposed as non-hazardous waste.

#### **Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice. Avoid<br/>contact with eyes, skin, and clothing. Avoid breathing vapor and mists. Wash<br/>thoroughly after handling. Avoid contact with fabric and paper goods. Contact<br/>with these may cause polymerization that can generate smoke and strong<br/>irritating vapors, and can cause thermal burns.Advice on general occupationalWash hands and face before eating.

Advice on general occupation hygiene:

Upper flammability limit:

Lower flammability limit:

#### Conditions for safe storage, including and incompatibilities

Keep in a cool, well-ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready to use.

Incompatible products: Keep away from amines.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

#### **Control parameters**

Chemical Name	ACGIH TLV	OSHA PEL	AIHA WELL	OTHER
Ethyl-2-cyanoacrylate 7085-85-0	0.2 ppm TWA	None	None	None

#### Exposure controls

**Engineering Controls:** Use positive downdraft exhaust ventilation, if general ventilation is insufficient to maintain vapor concentration below established exposure limits. Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure limits. Eye/Face protection Safety glasses with side shields or chemical splash goggles. Skin protection Do not use PVC, rubber, cotton or nylon gloves. 9. PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties Physical state: Gel Appearance: Slightly cloudy, colorless to yellowish color Odor: Sharp, irritating Odor threshold Not available. pH: Not applicable. Melting point/freezing point: ·\_\_\_\_ Initial boiling point and boiling range: >200°C Flash point 80-93.4°C (Method: Tag closed cup) Evaporation rate (Butyl acetate = 1): Not available. Flammability: Not available.

Not available.

Not available.

Vapor Pressure (25°C):	Less than 0.2 mmHg
Vapor Density (Air=1):	Approximately 3
Relative Density:	1.1g/cm <sup>3</sup>
Solubility:	Polymerizes in the presence of water.
Partition coefficient:	Not applicable.
Auto-ignition temperature:	485°C
Decomposition temperature:	Not applicable.
Viscosity	150000 - 200000 cps. (T-C bar)
VOC content:	< 2%; 20g/l (California SCAQMD Method 361B)
Explosive properties:	Product is not explosive.
Oxidizing properties:	Product is not oxidizing.

# **10. STABILITY AND REACTIVITY**

#### Chemical stability

Stable under recommended storage conditions.

#### **Hazardous Reactions**

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

#### Hazardous decomposition products

None

#### **Incompatible materials**

Water, amines, alkalis, oxidizing agents and alcohols.

#### Reactivity

Not available.

#### Conditions to avoid

Spontaneous polymerizations.

#### **11. TOXICOLOGICAL INFORMATION**

#### Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects/Symptoms			
Inhalation	Exposure to vapors above the established exposure limits results in respiratory irritation, which may lead to difficulty in breathing and tightness in the chest.		
Skin contact	May cause skin irritation. Bonds skin in seconds. Cyanoacrylates have been reported to cause allergic reactions due to rapid polymerization at the skin surface, an allergic response is rare. Cyanoacrylates generate heat on solidification. In rare circumstances, a large drop will burn the skin. Cured adhesive does not present a health hazard if bonded to the skin.		
Eye contact	Irritating to the eyes. Causes excessive tearing. Eyelids may bond.		
Ingestion	Not expected to be harmful by ingestion. Rapidly polymerizes (solidifies) and bonds in mouth. It is almost impossible to swallow.		

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Ethyl-2-cyanoacrylate None		Irritant, Allergen, Respiratory

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Ethyl-2-cyanoacrylate	No	No	No
12. ECOLOGICAL INFO	ORMATION		

#### **Ecotoxicity**

Biological and chemical oxygen demands (BOD and COD) are insignificant. Do not empty into drains/ surface water/ ground water. Do not allow uncontrolled leakage of product into the environment.

#### SUREHOLD. Plastic Surgery Super Gel, SH-304

Persistence and degradability:	No information available.
Bioaccumulative potential:	No information available.
Mobility in soil:	Cured adhesives are immobile.
Results of PBT and vPvB Assessment:	The components in this formulation do not meet the criteria for classification as PBT or vPvB.
Other adverse effects:	No further relevant information available.
13. DISPOSAL CONSIDERATION	S
Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Appropriate methods of waste treatment of substance Appropriate methods of waste treatment of packaging Sewage disposal Special precautions:	Cured adhesive: Disposal of as water insoluble non-toxic solid chemical in authorized landfill or incinerate under controlled conditions. After use: tubes, cartons, and bottles containing residual product should be disposed of as chemically contaminated waste in an authorized legal landfill site or incinerated. Disposal must be made according to official regulations. Dispose according to local, province/state, country's governmental regulations. Not available.
Relevant community/national/regional provisions	Not available.

# **14. TRANSPORT INFORMATION**

<u>DOT (49 CFR)</u>	Proper shipping name:	Combustible liquid n.o.s. (Cyanoacrylate ester)
	Hazard class or division:	Combustible Liquid
	Identification number:	NA 1993
	Package group:	III
IATA (ICAO)	Proper shipping name:	Aviation Regulated Liquid, N.O.S. (Cyanoacrylate Ester)
	Hazard class or division:	9
	Identification number:	UN 3334
	Packaging Group:	III
IMGD (IMO)	Proper shipping name:	Not regulated
	Hazard class or division:	None
	Identification number:	None
	Packaging group:	None

# **15. REGULATORY INFORMATION**

#### United States Regulatory Information

TSCA 8 (b) Inventory Status:

TSCA 12 (b) Export Notification CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: California Prop 65: All components are listed or are exempt from listing on the Toxic Substance Control Act Inventory. None above the reporting de minimis. None above the reporting de minimis. Immediate Health, Fire, Reactive. None above the reporting de minimis. No California Proposition 65 listed chemicals are known to be present. Canada Regulatory Information

CEPA DSL/NDSL Status:

Contains one or more components listed on the Non-Domestic Substances List. All other components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities. Please contact Regulatory Affairs for additional details.

## **16. OTHER INFORMATION**

Prepared by:Barristo Enterprises, Inc.Issue Date:February 8, 2022

Other abbreviations

PBT: Persistent, Bioaccumulative, Toxic vPvB: Very persistent and very bioaccumulative LD50: Lethal dose, 50 percent LC50: Lethal concentration, 50 percent

Further information This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties. Substances have been classified in accordance OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).